

The Worcester Greenstar CDi Classic combi

Our Greenstar CDi Classic boiler is our top of the range combi boiler offering the highest levels of hot water comfort. This boiler has set the benchmark within the industry for efficiency and reliability and is suitable for homes with up to two bathrooms.

Why install a Greenstar CDi Classic combi?

- Highest hot water flow rate of the Greenstar combi wall mounted range
- Instantaneous hot water, always available
- Larger two bathroom properties can be supplied by higher output options
- Wide choice of controls enables greater comfort and economy
- Low energy pump reduces electrical usage
- Inbuilt keyless filling link making it easy to refill your system if needed

 TRUSTPILOT



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		29CDi Classic	34CDi Classic	38CDi Classic	42CDi Classic
Clearances	Above flue	30mm	30mm	30mm	30mm
	Sides	5mm	5mm	5mm	5mm
	Below	200mm	200mm	200mm	200mm
	Front	20mm*	20mm*	20mm*	20mm*
Flow rate at the hot water tap (35°C)		12.3 l/min	14.3 l/min	16.4 l/min	17.2 l/min
Output kW to central heating (CH)		7.7kW - 30kW	7.7kW - 30kW	9.4kW - 30kW	9.4kW - 30kW
Modulating control		✓	✓	✓	✓
Integrated filling link		✓	✓	✓	✓
Condensing in domestic hot water		✓	✓	✓	✓
Intelligent controls		✓	✓	✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options




Accessories



Boiler dimensions

The Greenstar CDi range is the perfect size to fit between your wall-mounted kitchen cupboards.



Know your system

Combination, or 'combi' boilers, heat water directly from the mains when you turn on a tap, so you won't need a hot water storage cylinder or a cold water storage tank.

The Worcester Greenstar CDi Compact combi

Our Greenstar CDi Compact boilers have the smallest dimensions in our combi boiler range. They can be installed in a wide range of locations including inside a standard kitchen cupboard.

Why install a Greenstar CDi Compact combi?

- Fits neatly inside a standard kitchen cupboard
- Instantaneous hot water, always available
- Wide choice of controls
- Hot water can be adjusted to fine tune your comfort
- User-friendly displays for ease of use
- High efficiency, greater reliability and durability is achieved by the CDi Compact's innovative new heat exchanger

✓ TRUSTPILOT



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

*Terms and conditions apply **From 1,306 reviews on Trustpilot as of 2nd October 2017

Technical data

Model		28CDi Classic	32CDi Classic	36CDi Classic
Clearances	Above flue	30mm	30mm	30mm
	Sides	5mm	5mm	5mm
	Below	200mm	200mm	200mm
	Front	20mm*	20mm*	20mm*
Flow rate at the hot water tap (35°C)		11.4 l/min	13.1 l/min	14.7 l/min
Output kW to central heating (CH)		7.03kW - 24kW	7.03kW - 24kW	7.03kW - 24kW
Modulating control		✓	✓	✓
Integrated filling link		✓	✓	✓
Condensing in domestic hot water		✓	✓	✓
ErP 'A+' rating with weather compensation control		✓	✓	✓
Intelligent controls		✓	✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options



Accessories




10
YEAR
GUARANTEE

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter.

Boiler dimensions

The Greenstar CDi Compact range will fit inside your wall-mounted kitchen cupboards.



Know your system

Combination, or 'combi' boilers, heat water directly from the mains when you turn on a tap, so you won't need a hot water storage cylinder or a cold water storage tank.

The Worcester Greenstar Si Compact combi

Our Greenstar Si Compact combi boiler is suitable for small to medium sized homes with one bathroom. This boiler is designed to fit within a standard kitchen cupboard and has an easy to use control that allows you to fine tune your comfort.

Why install a Greenstar Si Compact combi?

- Fits in a standard kitchen cupboard
- Instantaneous hot water, always available
- Hot water temperature can be fine tuned
- Wide choice of controls including the internet connected Worcester Wave
- Simple boiler controls with clear temperature display
- Low energy pump reduces electrical usage

 TRUSTPILOT



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		25Si Compact	30Si Compact
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Flow rate at the hot water tap (35°C)		10.2 l/min	12.3 l/min
Output kW to central heating (CH)		7.03kW - 24kW	7.03kW - 24kW
Modulating control		✓	✓
Integrated filling link		(optional)	(optional)
Condensing in domestic hot water		✓	✓
ErP 'A+' rating with weather compensation control		✓	✓
Intelligent controls		✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options




Accessories



Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter.

Boiler dimensions

The Greenstar Si Compact range will fit inside your wall-mounted kitchen cupboards.



Know your system

Combination, or 'combi' boilers, heat water directly from the mains when you turn on a tap, so you won't need a hot water storage cylinder or a cold water storage tank.

The Worcester Greenstar i combi

The Greenstar i combi is the successor to the popular i Junior series, which represent 1 in 10 of all boilers installed in the UK. These wall-mounted boilers are ideal for apartments and small to medium sized homes with one bathroom.

Why install a Greenstar i combi?

- Our most popular combi boiler
- Instantaneous hot water, always available
- Suitable for small to medium homes
- Fills a standard kitchen sink in 45 seconds
- Simple boiler controls with clear information display
- Wide choice of controls enables greater comfort and economy



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH
Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		25i	30i
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Flow rate at the hot water tap (35°C)		10.2 l/min	12.3 l/min
Output kW to central heating (CH)		8.2kW - 24kW	8.2kW - 24kW
Modulating control		✓	✓
Integrated filling link		(optional)	(optional)
Condensing in domestic hot water		✓	✓
ErP 'A+' rating with weather compensation control		✓	✓
Intelligent controls		✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options



Accessories




10
YEAR
GUARANTEE

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter.

Boiler dimensions

The Greenstar i range is the perfect size to fit between your wall-mounted kitchen cupboards.



Know your system

Combination, or 'combi' boilers, heat water directly from the mains when you turn on a tap, so you won't need a hot water storage cylinder or a cold water storage tank.

The Worcester Greenstar CDi Classic system

Our Greenstar CDi Classic system boilers are high performance, high efficiency boilers that suit bigger homes with larger heating and hot water needs.

Why install a Greenstar CDi Classic system?

- Highest central heating output of the Worcester Greenstar system boiler range
- Our CDi Classic has set the heating industry benchmark for efficiency, helping to reduce energy usage
- Simple boiler temperature control with digital display
- Low energy pump reduces electrical usage
- Frost protection is included, reducing frost risk if installed in a garage or a loft
- Can be used with Greenskies solar panels for energy and cost savings

 TRUSTPILOT



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

*Terms and conditions apply **From 1,306 reviews on Trustpilot as of 2nd October 2017

Technical data

Model		30CDi Classic system	35CDi Classic system
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Output kW to central heating (CH)		7.7kW - 30kW	7.7kW - 34kW
ErP Seasonal space heating energy efficiency class		A / 92%	A / 92%
SAP efficiency - natural gas		89.2%	89.2%
Diverter valve kit		✓ (optional)	✓ (optional)
Plug-in timers		✓ (optional)	✓ (optional)
Intelligent controls		✓ (optional)	✓ (optional)

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options

All compatible controls must be used with the optional diverter valve.



Accessories




10
YEAR
GUARANTEE

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter.

Boiler dimensions

The Greenstar CDi range is the perfect size to fit between your wall-mounted kitchen cupboards.



Know your system

System boilers require a cylinder for storing hot water, however the major heating and hot water system components are built into the boiler itself, making it quicker and neater to install.

The Worcester Greenstar 27i and 30i system

Our higher output Greenstar i System boiler is part of that latest generation of smaller and lighter boilers from Worcester. Suitable for small, medium and large homes, the boilers can also be fitted in a standard kitchen cupboard. This boiler can be used with our range of high efficiency Greenstore cylinders for a complete Worcester system solution for your home.

Why install a Greenstar i system?

- Fits in a standard kitchen cupboard
- High efficiency and greater reliability due to innovative heat exchanger
- User-friendly displays for ease of use
- Low energy pump reduces electrical usage
- Can be used with Greenskies solar panels for energy and cost savings



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on [Trustpilot.co.uk](https://www.trustpilot.co.uk)**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH
Invented for life

Part of the Bosch Group

We have the support and resources associated with being part of one of the world's largest companies



[worcester-bosch.co.uk](https://www.worcester-bosch.co.uk)

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		27i system	30i system
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Output kW to central heating (CH)		7.03kW - 27kW	7.03kW - 30kW
ErP Seasonal space heating energy efficiency class		A / 92%	A / 92%
SAP efficiency - natural gas		89.0%	89.0%
Diverter valve kit		✓ (optional)	✓ (optional)
Plug-in timers		✓ (optional)	✓ (optional)
Intelligent controls		✓ (optional)	✓ (optional)

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options

All compatible controls must be used with the optional diverter valve.




Accessories



Up to 10 years
guarantee on all
Worcester gas
boilers when fitted
with a Greenstar
System Filter.

Boiler dimensions

The Greenstar i system range will fit inside your wall-mounted kitchen cupboards.



Know your system

System boilers require a cylinder for storing hot water, however the major heating and hot water system components are built into the boiler itself, making it quicker and neater to install.

The Worcester Greenstar 9i - 24i system

Our Greenstar i System boiler is our most popular system boiler that is suitable for small to medium sized homes. This boiler can also be used with our high efficiency Greenstore cylinders for a complete Worcester system solution for your home.

Why install a Greenstar i system?

- Simple boiler controls with clear information display
- Suitable for homes where the heating system includes a hot water storage cylinder
- Choice of controls enables greater comfort and economy
- Can be used with Greenskies solar panels for energy and cost savings
- Low energy pump reduces electrical usage

TRUSTPILOT



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on [Trustpilot.co.uk](https://www.trustpilot.co.uk)**



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



[worcester-bosch.co.uk](https://www.worcester-bosch.co.uk)

 **WORCESTER**
Bosch Group
Accredited Installer

*Terms and conditions apply **From 1,306 reviews on Trustpilot as of 2nd October 2017

Technical data

Model		9i system	12i system	15i system	18i system	21i system	24i system
Clearances	Above flue	30mm	30mm	30mm	30mm	30mm	30mm
	Sides	5mm	5mm	5mm	5mm	5mm	5mm
	Below	200mm	200mm	200mm	200mm	200mm	200mm
	Front	20mm*	20mm*	20mm*	20mm*	20mm*	20mm*
Output kW to central heating (CH)		3.1kW - 9.2kW	3.1kW - 12.2kW	4.6kW - 15.3kW	4.6kW - 18.4kW	7.2kW - 21.6kW	7.2kW - 24.6kW
ErP Seasonal space heating energy efficiency class		A / 93%	A / 94%	A / 94%	A / 94%	A / 94%	A / 94%
SAP efficiency - natural gas		89.8%	89.8%	89.7%	89.7%	89.7%	89.7%
Diverter valve kit		✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)
Plug-in timers		✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)
Intelligent controls		✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)	✓ (optional)

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options

All compatible controls must be used with the optional diverter valve.




Accessories



Up to 10 years
guarantee on all
Worchester gas
boilers when fitted
with a Greenstar
System Filter.

Boiler dimensions

The Greenstar i system range is the perfect size to fit between your wall-mounted kitchen cupboards.



Know your system

System boilers require a cylinder for storing hot water, however the major heating and hot water system components are built into the boiler itself, making it quicker and neater to install.

The Worcester Greenstar CDi Classic regular

Our Greenstar CDi Classic Regular boiler is our top performing boiler with impressive heating outputs making it an excellent choice for larger homes. This boiler can be used with our range of high efficiency Greenstore cylinders allowing stored hot water to be rapidly replenished.

Why install a Greenstar CDi Classic regular?

- Highest central heating output of the wall-hung Greenstar regular boiler range
- Stored hot water can be rapidly replenished
- Our CDi Classic has set the heating industry benchmark for efficiency, helping to reduce energy usage
- Simple boiler temperature control with digital display
- Frost protection reduces risk if installed in garage or loft



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		30CDi Classic regular	40CDi Classic regular
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Output kW to central heating (CH)		7.7kW - 30kW	9.4kW - 40.8kW
ErP Seasonal space heating energy efficiency class		A / 92%	A / 92%
SAP efficiency - natural gas		89.2%	89.2%
Fault diagnostic display		✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Accessories

System Filter




10
YEAR
GUARANTEE

Up to 10 years
guarantee on all
Worcester gas
boilers when fitted
with a Greenstar
System Filter.

Boiler dimensions

The Greenstar CDi range is the perfect size to fit between your wall-mounted kitchen cupboards.



Know your system

Regular boilers (sometimes known as traditional, conventional or heat only boilers) are ideally suited to homes that already have a traditional heating and hot water system which is linked to a separate hot water cylinder.

The Worcester Greenstar 27Ri and 30Ri

Our higher output Greenstar Ri boiler is a compact, wall mounted boiler that is perfect for medium and large-sized homes. Small enough to be installed in a standard kitchen cupboard, this boiler can be used with our range of high efficiency Greenstore cylinders for a complete Worcester system solution for your home.

Why install a Greenstar Ri?

- Fits in a standard kitchen cupboard
- High efficiency and greater reliability due to innovative heat exchanger
- Simple boiler control with user-friendly displays for ease of use
- Can be used with Greenskies solar panels for energy and cost savings
- Choice of controls enables greater comfort and economy



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		27Ri	30Ri
Clearances	Above flue	30mm	30mm
	Sides	5mm	5mm
	Below	200mm	200mm
	Front	20mm*	20mm*
Output kW to central heating (CH)		7.03kW - 27kW	7.03kW - 30kW
ErP Seasonal space heating energy efficiency class		A / 92%	A / 93%
SAP efficiency - natural gas		89%	89%
Wall mounting jig		✓	✓
Plug-in timers		✓ (optional)	✓ (optional)

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Control options

All compatible controls must be installed with optional Greenstar Wiring Centre.



Accessories

System Filter




10
YEAR
GUARANTEE

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter.

Boiler dimensions

The Greenstar Ri range will fit inside your wall-mounted kitchen cupboards.



Know your system

Regular boilers (sometimes known as traditional, conventional or heat only boilers) are ideally suited to homes that already have a traditional heating and hot water system which is linked to a separate hot water cylinder.

The Worcester Greenstar 12Ri - 24Ri

Our Greenstar Ri boiler is a compact, wall mounted boiler that is perfect for small and medium sized homes. It is also perfect for replacing a boiler in an existing traditional heating system. Small enough to be installed in a standard kitchen cupboard, the boiler can be used with our range of high efficiency Greenstore cylinders for a complete Worcester system solution for your home.

Why install a Greenstar Ri?

- Fits in a standard kitchen cupboard
- Simple boiler control
- Suitable for homes where the heating system includes a hot water storage cylinder
- Frost protection is also included, reducing frost risk if installed in a garage or loft
- Can be used with Greenskies solar panels for energy and cost savings



Trustpilot Rated 5 Stars

Our customers have consistently rated us 5 stars on Trustpilot.co.uk**



10 Year Guarantee

Up to 10 years guarantee on all Worcester gas boilers when fitted with a Greenstar System Filter



Royal Warrant

We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH

Invented for life

Part of the Bosch Group

All Worcester products are manufactured with Bosch levels of quality and reliability as standard



worcester-bosch.co.uk

 **WORCESTER**
Bosch Group
Accredited Installer

Technical data

Model		12Ri	15Ri	18Ri	24Ri
Clearances	Above flue	30mm	30mm	30mm	30mm
	Sides	5mm	5mm	5mm	5mm
	Below	200mm	200mm	200mm	200mm
	Front	20mm*	20mm*	20mm*	20mm*
Output kW to central heating (CH)		4kW - 12kW	5kW - 15kW	6kW - 18kW	8kW - 24kW
ErP Seasonal space heating energy efficiency class		A / 91%	A / 91%	A / 91%	A / 92%
SAP efficiency - natural gas		88.8%	88.8%	88.8%	89.2%
CH temperature control		✓	✓	✓	✓
DHW temperature control		✓	✓	✓	✓

*20mm from a removable cupboard door, 600mm from a fixed surface for servicing.
Same clearances for ventilated and unventilated compartments.

Accessories

System Filter




10
YEAR
GUARANTEE

Up to 10 years
guarantee on all
Worcester gas
boilers when fitted
with a Greenstar
System Filter.

Boiler dimensions

The Greenstar Ri range will fit inside your wall-mounted kitchen cupboards.



Know your system

Regular boilers (sometimes known as traditional, conventional or heat only boilers) are ideally suited to homes that already have a traditional heating and hot water system which is linked to a separate hot water cylinder.